

इंटरनेट

मानक

Disclosure to Promote the Right To Information

Whereas the Parliament of India has set out to provide a practical regime of right to information for citizens to secure access to information under the control of public authorities, in order to promote transparency and accountability in the working of every public authority, and whereas the attached publication of the Bureau of Indian Standards is of particular interest to the public, particularly disadvantaged communities and those engaged in the pursuit of education and knowledge, the attached public safety standard is made available to promote the timely dissemination of this information in an accurate manner to the public.

“जानने का अधिकार, जीने का अधिकार”

Mazdoor Kisan Shakti Sangathan

“The Right to Information, The Right to Live”

“पुराने को छोड़ नये के तरफ”

Jawaharlal Nehru

“Step Out From the Old to the New”

IS 7795 (2004): Hexagon Nuts with Collar [PGD 31: Bolts, Nuts and Fasteners Accessories]



“ज्ञान से एक नये भारत का निर्माण”

Satyanarayan Gangaram Pitroda

“Invent a New India Using Knowledge”



“ज्ञान एक ऐसा खजाना है जो कभी चुराया नहीं जा सकता है”

Bhartrhari—Nitiśatakam

“Knowledge is such a treasure which cannot be stolen”

BLANK PAGE



भारतीय मानक
कॉलर सहित षटकोणी ढिबरियाँ — विशिष्टि
(पहला पुनरीक्षण)

Indian Standard

HEXAGON NUTS WITH COLLAR — SPECIFICATION
(*First Revision*)

ICS 21.060.20

© BIS 2004

BUREAU OF INDIAN STANDARDS
MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG
NEW DELHI 110002

FOREWORD

This Indian Standard (First Revision) was adopted by the Bureau of Indian Standards, after the draft finalized by the Bolts, Nuts and Fasteners Accessories Sectional Committee had been approved by the Basic and Production Engineering Division Council.

This standard was first published in 1975. This first revision has been taken up to incorporate the development taken place in the field and also updated editorially and technically in line with DIN 6331 : 1991 'Hexagon nuts 1.5 times the thickness with collar, Metric thread' issued by the Deutsches Institut für Normung (DIN).

For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a test or analysis shall be rounded off in accordance with IS 2 : 1960 'Rules for rounding off numerical values (*revised*)'. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

Indian Standard

HEXAGON NUTS WITH COLLAR — SPECIFICATION (First Revision)

1 SCOPE

This standard covers the requirements of hexagon nuts with collar in the size range of M 8 to M 36 mm.

2 REFERENCES

The following standards contain provisions which through reference in this text, constitute provisions of this standard. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this standard are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below:

IS No.	Title
1367	Technical supply conditions for threaded steel fasteners:
(Part 1) : 2002	General requirements of bolts, screws, studs and nuts (<i>third revision</i>)
(Part 2) : 2002	Tolerance for fasteners — Bolts, screws, studs and nuts — Product grades A, B and C (<i>third revision</i>)
(Part 6) : 1994	Mechanical properties and test methods for nuts with specified proof load (<i>third revision</i>)
(Part 10) : 2002	Surface discontinuity of nuts (<i>third revision</i>)
(Part 13) : 1983	Hot-dip galvanized coating on threaded fasteners (<i>second revision</i>)
(Part 17) : ¹⁾	Inspection, sampling and acceptance procedure (<i>fourth revision</i>)
(Part 18) : 1996	Packaging (<i>third revision</i>)
4218	ISO General purpose metric screw thread :
(Part 1) : 2001	Basic and design profiles (<i>second revision</i>)
(Part 2) : 2001	General plan (<i>second revision</i>)
(Part 3) : 1999	Basic dimensions (<i>second revision</i>)

IS No.

Title

(Part 4) : 2001	Selected sizes for screws, bolts and nuts (<i>second revision</i>)
14962	ISO general purposes metric screw threads — Tolerances :
(Part 1) : 2001	Principles and basic details
(Part 2) : 2001	Limits of sizes for general purposes internal and external screw threads — Medium quality
(Part 3) : 2001	Deviations for constructional screw threads
(Part 4) : 2001	Limits of sizes for hot-dip galvanized external screw threads to mate with internal screw threads tapped with tolerance position H or G after galvanizing
(Part 5) : 2001	Limits of sizes for hot-dip galvanized internal screw threads to mate with external screw threads with maximum size of tolerance position h before galvanizing

3 PRODUCT GRADE

The nuts shall be of product grade A as specified in IS 1367(Part 2).

4 DIMENSIONS

4.1 The dimensions of nuts shall be as given in Table 1 when read with Fig. 1.

4.2 The threads of the nuts shall be in accordance with IS 4218 (Parts 1, 2, 3 and 4). The tolerances on the threads shall conform to IS 14962 (Parts 1, 2 and 3) and in case of hot-dip galvanized nuts the tolerance shall be in accordance with IS 14962 (Parts 4 and 5).

5 MECHANICAL PROPERTIES

The nuts shall conform to the property class 8 or 10 as specified in IS 1367 (Part 6).

¹⁾ To be published.




FIG. 1 DIMENSIONS OF HEXAGON NUTS WITH COLLAR

Table 1 Dimensions for Hexagon Nuts with Collar
(Clause 4.1)

All dimensions in millimetres.

SI No. (1)	Thread Size, <i>d</i> (2)	M 8 (3)	M 10 (4)	M 12 (5)	M 16 (6)	M 20 (7)	M 24 (8)	M 30 (9)	M 36 (10)
i)	<i>d</i> ₁ <i>Nom</i> <i>Max</i> <i>Min</i>	18 18.00 17.73	22 22.00 21.67	25 25.00 24.67	31 31.00 30.61	37 37.00 36.61	45 45.00 44.61	58 58.00 57.54	68 68.00 67.54
ii)	<i>a</i> <i>Nom</i> <i>Max</i> <i>Min</i>	3.5 3.65 3.85	4 4.15 3.85	4 4.15 3.85	5 5.15 4.85	6 6.15 5.85	6 6.15 5.85	8 8.18 7.82	10 10.18 9.82
iii)	<i>d</i> ₂	10	12	14	18	22	26	32	38
iv)	<i>m</i> <i>Nom</i> <i>Max</i> <i>Min</i>	12 12.35 11.65	15 15.35 14.65	18 18.35 17.65	24 24.42 23.58	30 30.42 29.58	36 36.50 35.50	45 44.50 43.50	54 54.60 53.40
v)	<i>e</i> <i>Min</i>	14.38	17.77	20.03	26.75	33.53	39.98	51.28	61.31
vi)	<i>s</i> <i>Nom</i> <i>Max</i> <i>Min</i>	13 13.00 12.73	16 16.00 15.73	18 18.00 17.73	24 24.00 23.67	30 30.00 29.67	36 36.00 35.38	46 46.00 45.38	55 55.00 54.26

6 FINISH

6.1 Unless otherwise specified, the nuts shall be supplied in the dull black heat-treated condition with a residual coating of light oil.

6.2 If supplied hot-dip galvanized, they shall be galvanized in accordance with the requirements of IS 1367 (Part 13).

7 GENERAL REQUIREMENTS

7.1 In regard to permissible surface discontinuities, the nuts shall conform to IS 1367 (Part 10).

7.2 In regard to the requirements not covered in this standard, the nut shall conform to the general requirements given in IS 1367 (Part 1).

8 DESIGNATION

The hexagon nuts with collar shall be designated by name, size, and property class and number of this standard. In case of hot-dip galvanized nuts the word 'galvanized' shall be added to the designation.

Example

A high strength structural nut of size M 10, property class 8 and galvanized shall be designated as:

Hexagon nut with Collar M 10 IS 7795 — 8
Galvanized.

9 SAMPLING, INSPECTION AND ACCEPTANCE CRITERIA

The sampling, inspection and acceptance criteria of nuts shall be in accordance with IS 1367 (Part 17).

10 MARKING

10.1 The high strength structural nuts shall be marked with the following :

- a) Manufacturer's identification symbol; and
- b) Property class 8 or 10.

10.1.1 The marking shall be indented or embossed on the non-bearing face of the nut.

10.2 BIS Certification Marking

The product may also be marked with the Standard Mark. Wherever it is not possible to put the Standard Mark on the product, it may be marked on the packaging.

10.2.1 The use of the Standard Mark is governed by the provision of the *Bureau of Indian Standards Act*, 1986 and the Rules and Regulations made thereunder. The details of conditions under which the licence for the use of the Standard Mark may be granted to the manufacturers or producers may be obtained from the Bureau of Indian Standards.

11 PACKAGING

The packaging of hexagon nuts with collar shall be done in accordance to IS 1367 (Part 18).

Bureau of Indian Standards

BIS is a statutory institution established under the *Bureau of Indian Standards Act, 1986* to promote harmonious development of the activities of standardization, marking and quality certification of goods and attending to connected matters in the country.

Copyright

BIS has the copyright of all its publications. No part of these publications may be reproduced in any form without the prior permission in writing of BIS. This does not preclude the free use, in the course of implementing the standard, of necessary details, such as symbols and sizes, type or grade designations. Enquiries relating to copyright be addressed to the Director (Publications), BIS.

Review of Indian Standards

Amendments are issued to standards as the need arises on the basis of comments. Standards are also reviewed periodically; a standard along with amendments is reaffirmed when such review indicates that no changes are needed; if the review indicates that changes are needed, it is taken up for revision. Users of Indian Standards should ascertain that they are in possession of the latest amendments or edition by referring to the latest issue of 'BIS Catalogue' and 'Standards: Monthly Additions'.

This Indian Standard has been developed from Doc : No. BP 33 (0185).

Amendments Issued Since Publication

Amend No.	Date of Issue	Text Affected

BUREAU OF INDIAN STANDARDS

Headquarters :

Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110 002
Telephones : 2323 0131, 2323 33 75, 2323 9402

Telegrams : Manaksanstha
(Common to all offices)

Regional Offices :

Central : Manak Bhavan, 9 Bahadur Shah Zafar Marg
NEW DELHI 110 002

Telephone
{ 2323 7617
2323 3841

Eastern : 1/14 C.I.T. Scheme VII M, V. I. P. Road, Kankurgachi
KOLKATA 700 054

{ 2337 8499, 2337 8561
2337 8626, 2337 9120

Northern : SCO 335-336, Sector 34-A, CHANDIGARH 160 022

{ 60 3843
60 9285

Southern : C.I.T. Campus, IV Cross Road, CHENNAI 600 113

{ 2254 1216, 2254 1442
2254 2519, 2254 2315

Western : Manakalaya, E9 MIDC, Marol, Andheri (East)
MUMBAI 400 093

{ 2832 9295, 2832 7858
2832 7891, 2832 7892

Branches : AHMEDABAD. BANGALORE. BHOPAL. BHUBANESHWAR. COIMBATORE. FARIDABAD.
GHAZIABAD. GUWAHATI. HYDERABAD. JAIPUR. KANPUR. LUCKNOW. NAGPUR.
NALAGARH. PATNA. PUNE. RAJKOT. THIRUVANANTHAPURAM. VISAKHAPATNAM.